

索引

- 7X 清洗液, 93
acetaldehyde, 71
acrylamide solutions 丙烯醯胺液, 61
active carbon cartridge 活性碳匣, 92
adjuvant 佐劑, 77
ADP, 2
ADPG, 2
Affi-Gel 10 親和吸着劑, 60
affinity chromatography 親和層析法, 11, 12, 43, 44, 54, 60, 79
affinity of mAb 親和度 (單株抗體), 34, 45, 104
agarose, 79-80
Akazawa, T., 7, 14
alkaline phosphatase 鹼性磷酸酯酶, 83
amido block, 87
amino acid composition 胺基酸組成, 15, 16, 36, 44, 75
aminopterin, 98, 99
ammonia water, 72
ammoniacal silver solution 硝酸銀液, 72
ammonium chloride, 84, 97
ammonium persulphate (APS), 61, 62-64, 66-68

- ammonium sulfate fractionation 硫酸胺分劃, 9, 54, 57, 78, 102
ampholyte, 68
antibiotics 抗生素, 93
antigenic determinant (epitope) 抗原決定基, 3, 30, 45, 103
antiserum preparation 抗血清製備, 17, 77-78
antiserum titration 抗血清效價滴定, 17, 18
ascites 腹水, 24, 25, 54, 102
autoclave 高壓滅菌釜, 90
autopipet 自動吸管, 91
autoradiography 放射顯像, 74
- B cell, 3
BALB/c 小鼠, 4, 23, 24, 96, 102
barbitone buffer, 79, 80
Bayol F, 77
biosynthetic labeling, 103
biotechnology, definition of 生物技術, 4
Bis, 61
bleeding 採血, 77-78
blocking 填塞, 84
blotting buffer 轉印緩衝液, 86, 87
bovine serum albumin, see BSA
bromophenol blue, 61
BSA (bovine serum albumin), 57, 77, 84, 104
- ¹⁴C-glucose, 2
calibration kit, molecular weight 標準分子量組合, 64
calibration kit, pI 等電點校正組合, 69
carrier protein 攜帶蛋白質, 77
casting stand 膠片鑄造器, 67
cDNA, 3, 5
 hybridization, 2
 maize SS, 3
cell counting, 94
cell culture 細胞培養, 89, 100
cell culture plates 細胞培養盤, 90, 100, 101
cell culture room 細胞培養室, 89
cell freezing 細胞冷凍, 94
cell fusion 細胞融合, 3, 23, 24, 54, 96-102
cell thawing 細胞解凍, 95
cellophane 賽璐芬, 玻璃紙, 73, 74
chamber buffer 電泳緩衝液, 61, 63
chasing solution 追加填充液, 67
chequerboard titration 棋盤滴定法, 21, 85
chloramine-T, 34, 45, 104
chymotrypsin, 70
citrate, 75
citrate-phosphate buffer (CP), 60
citric acid, 71-72
class typing, 25

- Cleveland, D. W., 70
clonal selection theory, 30, 45
cloning 羣株化, 5
CO₂ incubator CO₂ 恒溫箱, 89, 96
coating pH, 27, 84
comb 樣品槽齒模, 58, 67
comparative studies of SS, 5, 35, 42, 46
competitive method 競爭性抑制法, 21, 82, 85
complement system 免疫補體系統, 78
conjugates used in ELISA 酵素連結體, 19, 21, 83
contamination 污染, 95
Coomassie Brilliant Blue R (CBR), 59-61, 63, 66, 69-71, 80
coupling reaction of IgG with HRP 耦合反應, 19, 83
cryotube 冷凍小瓶, 90, 95
culture supernatant, 54, 102
- dansyl chloride, 75
dansylation, 75
DEAE-cellulose, 58
DEAE-Sephacel, 17, 18, 58, 79
DEAE-Sephacel CL-6B, 10, 11, 42, 54, 57, 58, 79
dialysed FCS, 103
diaminobenzidine (DAB), 87
dichlorodimethyl silane, 66
dimethyl formamide, 75
dimethyl sulfoxide (DMSO), 94, 95
disc-PAGE 不連續膠體電泳, 10, 58, 61-63
dissociation constant, K_d 解離常數, 104, 105
double clip 文書夾, 66, 68, 74
double diffusion, rice and maize SS 雙向擴散, 17-19, 37, 46
double diffusion technique 雙向擴散技術, 79-80
double labeling 雙標識, 2
Dowex MR-3, 61
dropper 滴管, 90
Ds 跳動基因, 3
- Eagle's MEM, 103
EIA, see ELISA
EIA plate EIA 盤, 81-86, 104, 105
EIA reader EIA 光度計, 81, 85, 105
electroblotting 電泳轉印, 68, 86
electroelution 電泳溶離, 58-60
electrofusing 電氣融合, 99
electrophoresis 電泳, 58, 61-74, 80
 solution A, 30% acrylamide 丙烯醯胺液, 61
 solution B, running buffer 分離膠體緩衝液, 61
 solution C, stacking buffer 聚焦膠體緩衝液, 61
 solution D, chamber buffer 電泳緩衝液, 61
 solution E, SDS-PAGE sample buffer 樣品溶液, 63
 solution F, general chamber buffer 通用電泳緩衝液, 63

- electrophoretic concentrator 電泳濃縮器, 58
- ELISA 酵素免疫分析, 81-86, 104
- antiserum titration 抗體效價滴定, 17
 - application 應用, 46
 - assay range, 45
 - blocking 填塞, 84
 - chequerboard titration 棋盤滴定法, 19-22, 85
 - class typing, 26
 - coating pH 吸附溶液之 pH, 27, 84
 - competitive method 競爭法, 19-22, 81, 82, 85
 - enzyme conjugate 酵素連結體, 19, 21, 83
 - HRP reaction 酵素 (HRP) 呈色反應, 85
 - indirect method 間接法, 21, 81, 82, 85-86
 - screening of mAb 篩選單株抗體, 24, 54, 100
 - standard curve 標準曲線, 20, 21, 85
- emulsion 乳劑, 77, 96
- enzyme activity assay 酵素活性分析, 8, 56
- enzyme activity assay, in gel, 63
- enzyme activity, reacted with mAb, 106
- enzyme immunoassay, see ELISA
- enzyme linked immunoassay, see ELISA
- epitope, see antigenic determinant
- ethylmorpholine, 75
- extinction coefficient 分子消光係數, 14, 54, 57, 74-75
- Extran 清洗液, 93
-
- feeder cell or feeder layer 飼餵細胞, 100
- fetal calf serum (FCS) 胎牛血清, 24, 92, 95, 100, 102
- ficin, 70
- fixer, in AgNO₃ staining 定影液, 72
- fixer, IEF 固定液, 69
- formaldehyde, 72
- Fotodyne 紫外線照射燈, 58
- Freund's adjuvant Freund 氏佐劑, 77, 96
- fructose, 1, 56
- fructose-6-phosphate, F-6-P, 1
-
- G-1-P, glucose-1-phosphate, 2
- gel drying 膠片乾燥法, 72-74
- gel filtration chromatography 膠體過濾層析法, 9, 54, 57, 65, 79
- gel shrinking 膠片收縮, 73
- gel slicing 膠片切割, 58
- gel solutions 膠體溶液, 61, 63
- gel staining 膠體染色, 71-72
- gelatin-NET solution 明膠 NET 液, 45, 84-87, 100
- gene cloning 基因羣植, 5, 47
- gene manipulation 基因操作, 46
- genetic marker 遺傳標誌形質, 5
- genome bank of maize SS 基因庫, 3
- germ-line theory, 45

- glass filter apparatus 玻璃薄膜濾器, 91
glucose-1-phosphate, G-1-P, 2
glutamine, 92
glutaraldehyde 71, 83
glycerol, 65, 67, 68, 72, 94
glycine, 86
gradient maker 梯度製造器, 65, 67
gradient PAGE 梯度膠體電泳, 13, 38, 61, 65-66, 87
- ^3H -fructose, 2
 ^3H -leucine, 54, 103
haemocytometer 血球計, 90, 94
HAT selection HAT 篩選, 24, 54, 99
HAT-RPMIX, 98, 99
heavy chain 重鏈, 27
HEPA filter 無菌過濾片, 90
HEPES, 92
horse radish peroxidase, see HRP
HPLC, 75
HRP, horse radish peroxidase 山葵過氧化酶, 19, 82-85, 87
HRP activity assay, HRP 活性分析法, 85
HRP-2nd Ab, 21, 27, 28, 82, 83, 85-87, 100
HRP-GAM (goat anti-mouse), 100
HRP-GAR (goat anti-rabbit), 22, 82, 83
HRP-IgG, 21, 82-85
HRP-Protein A, 22, 82-87
HT medium, HT-RPMIX, 24, 98, 99
hybridoma, see cell fusion or monoclonal antibody
Hybriserum, 92
hydrogen peroxide, 86, 87
hypoxanthine, 98
- iodination of Ab 碘標識法, 34, 54, 104, 105
Ig purification Ig 純化, 17, 18, 54, 78-79, 102
IgG class typing, 25
IgG subclass, 25, 79, 102, 103
IgG, anti-SS 抗 SS Ig, 17, 54, 60
immunization 免疫, 17, 54, 77, 96
immunization, *in vitro* 試管中免疫, 96
immunoblotting of peptide map 胜肽免疫轉印, 31, 32, 38, 39, 45, 54, 86
immunoelectrophoresis 免疫電泳, 38, 54, 80-81
immunoglobulin, see Ig 免疫球蛋白
immunostaining 免疫染色法, 86, 87
indirect method 間接法, 21, 81, 82, 85-86
inverted microscope 倒立式顯微鏡, 89
ion exchange 離子交換, 10, 54, 79
 equilibration 平衡, 58
 regeneration of gel 膠體再生, 58
isoelectric focusing 等電聚焦法, 14, 54, 68-70
isoelectric point 等電點, 3, 14, 35, 65, 68

- lag phase 遲滯期, 94
laminar flow hood 無菌操作箱, 89, 90, 96
leucine free medium, 103
ligation, DNA DNA 連結, 6
light chain 輕鏈, 27
limiting dilution 限數稀釋法, 24, 26, 100, 101
liquid nitrogen tank 液態氮貯藏桶, 90, 94
log phase 增長期, 94
Lowry method, 57
- maize 玉米, 2, 3
marker, genetic 遺傳標誌形質, 5
McClintok, B., 3
mercaptoethanol, 57, 63, 75, 104
metabisulphite, 71
methanesulfonic acid, 75
methanol, 61, 62, 65, 66, 70-72, 74 86, 87
methylamine, 72
Millex, 91
Milli-Q, 71, 92, 93
Millipore, 92
Mini Vertical Slab Cell 迷你電泳槽, 67
mini-gel electrophoresis 迷你電泳, 61, 66-68
molecular weight 分子量, 13, 54, 65
molecular weigh markers 標準分子量組合, 64
monoclonal antibody 單株抗體
 affinity constant Kd 親和度常數, 33, 34, 104-105
 against SS, 25, 45, 105
 applications, 3, 4, 103-105
 ELISA, 23, 25-31, 54, 100
 immunoblotting 免疫轉印, 31, 54
 production 生產, 102
 purification 純化, 102
 radioactive labeling 放射性標識, 103, 104
 reaction with SS, 31, 33, 54, 105
monoethanolamine, 72
mRNA, maiz SS, 3
mRNA, rice, 5, 6
mycoplasma, 95
myeloma 骨髓瘤, 4, 54
myoglobins, 69
- N-hydroxysuccinimide, 57
NAD⁺, 8, 56, 63
NADH, 8, 56
Nakane, P. K., 83
NDP, 1
NDPG, 1
negative staining 負染色, 72

- NH₂-terminus determination NH₂ 端胺基酸決定, 75
nitrocellulose paper 硝化纖維紙, 38, 39, 86, 87
Nomura, T., 7, 14
non-specific adsorption 非專一性吸附, 87
non-specific proteases 非專一性蛋白酶, 36
NS-1, myeloma cell line 骨髓癌細胞株, 4, 23, 24, 54, 94, 98, 100
- o*-phenylene diamine (OPD), 85, 86, 100, 105
o-phthaldehyde, 75
OD unit OD 活性單位, 8, 56
oil in water emulsion 「水中油」型乳劑, 77
Organex-Q, 92
oven 烘箱, 74
- P56, 19, 39-42, 47, 54
 amino acid composition 胺基酸組成, 40
 double diffusion 雙向擴散, 19, 41, 44
 liquid chromatography 液相層析, 41, 42
 molecular weight 分子量, 38, 39, 42
 peptide map 胜肽圖譜, 40
- PAGE 聚丙烯醯胺膠體電泳, 13, 14, 54, 61-68
papain, 36, 70
PAS staining, 71
passage 傳接, 94
Pasteur pipet 滴管, 90
PBS-X (PBS with Triton X-100), 103
PBST (PBS with Tween-20), 84-87, 100, 104
PEG 1500, 25, 54, 98
penicillin 青黴素, 93, 95
peptide blotting 胜肽轉印, 4, 54, 86
peptide mapping 胜肽圖譜, 4, 36, 38, 54, 70-71, 86
periodic acid-Schiff's (PAS) reagent, 71
phenylalanine, 40
phosphate buffer, PB-6.4, 56
phosphate buffer, PB-7.0, 57
pI, see also isoelectric focusing 等電點, 3, 14
pipette 吸管, 90
plasmid DNA 質體 DNA, 6
plateau phase 飽和期, 94
polyacrylamide gel electrophoresis, see PAGE
polyamide TLC, 15, 75
polyethylene glycol, see also PEG, 23
polystyrene (PS) 聚苯乙烯, 81, 104
polyvinyl chloride (PV) 聚乙烯氯, 81, 104, 105
precoating 預先打底, 80
preparative electrophoresis 製備式電泳, 11, 12, 43, 54, 58-60, 70
Pristane, 24, 102
probe 探針, 3, 46
pronase (*Streptomyces griseus*), 70
protamine sulfate 魚精蛋白硫酸鹽, 54, 57

- protease K. 36, 40
proteases, 70
Protein A affinity sorbent Protein A 親和吸着劑, 25, 54, 79, 102
protein assay 蛋白質定量法, 57
protein engineering 蛋白質工程, 4
protoplast 原生質體, 6, 47
purification of enzyme 酵素純化, 9-13, 54, 57
pyrophosphate, PPi 焦磷酸, 2
pyrophosphorylase 焦磷解酶, 2, 44
pyruvate, 92, 93
- quaternary structure 四級構造, 40
quenching 減弱效應, 74
- R-looping, 5
radioactive labeling 放射性標幟法, 103
radioimmunoassay (RIA) 放射性免疫分析法, 33, 45, 81, 104
recombinant gene 重組基因, 4
reducing solutions 還原液, 71, 72
Reinheitzahl (RZ) value, 21, 84
relative affinity 相對親和度, 27-29, 45, 54, 104
restriction enzyme 約制酶, 6
reverse osmosis (RO) 逆滲透, 92
rice, *Oryza sativa* L. 水稻, 7
rosaniline, 71
RPMI 1640 培養基, 92, 97, 98
RPMIX, 92, 94, 98, 99
running gel solution 分離膠體溶液, 62, 64, 67
RZ value, 21, 84
- sulfosalicylic acid, 69
sandwich, in gel drying 膠片-玻璃紙三明治組合, 73
Scatchard plot, 33, 34, 54, 104, 105
Schiff's base, 83
screening of hybridoma 融合瘤篩選, 99
SDS (sodium dodecyl sulfate), 36, 65, 87, 90
SDS gradient PAGE SDS-梯度膠體電泳, 65, 66, 70
SDS-PAGE SDS-膠體電泳, 14, 39, 54, 61, 63-65, 70, 86
 gel solutions 膠體溶液, 61, 64
 sample solution 樣品溶液, 63
sedimentation coefficient 沉降係數, 35
separation gel 分離膠體, 58, 62, 64, 68
Sephacryl S-200, 19, 84
Sephacryl S-300, 57, 79
Sephacryl S-6B, 57
Sephacryl S-CL-6B, 9, 41, 54, 57, 79
serum bottle 血清瓶, 90
Sh gene in maize, 2, 3
sh, mutation in maize, 2, 3
shrinking solution 膠片收縮液, 72, 73

- shrunk mutation, *sh* 萎縮突變株(玉米), 2
siliconization 表面矽化處理, 66, 67, 72
silver nitrate staining 硝酸銀染色, 11, 43, 70, 71-72, 74
smiling effect, 68
sodium azide, NaN_3 , 78, 103, 104
sodium bicarbonate, NaHCO_3 , 92
sodium borohydride, NaBH_4 , 83, 84
sodium periodate, NaIO_4 , 83, 84
sodium thiosulfate, $\text{Na}_2\text{S}_2\text{O}_3$, 71
soft agar 軟質洋菜, 100
soft beta radioactive sources 弱 β 放射源, 74
specific activity, radioactives 放射線比活性, 104
specific activity 酵素比活性, 9, 10
spinal needle 脊柱針頭, 65
spleen 脾臟, 97
spleen cell 脾臟細胞, 3, 4, 54, 94, 96, 98
spur, 39
SS, see sucrose synthetase
SS-1, isozyme in maize, 3
SS-2, isozyme in maize, 3
stacking gel 焦集膠體, 58, 62, 64, 67
stacking gel solution 焦集膠體溶液, 62, 64, 68
stages of investigation on rice SS SS 研究分期, 5
standard curve 標準曲線, 20, 21, 85
starch 澱粉, 1, 2
starch primer 澱粉基體, 1
starch synthetase 澱粉合成酶, 1, 2
Starlinger, P., 3
stationary phase 飽和期, 94
sterilization 滅菌, 93
Sterivex, 91
stop solution 反應中止液, 72
streptomycin 鏈黴素, 93, 95
subcloning 單株化, 25, 26, 45, 54, 101, 102
substrate solution 基質液, 56, 63
subtilisin, 36
subunit 次體, 14, 39
sucrose 蔗糖, 2, 16, 56
sucrose phosphate synthetase 蔗糖磷酸合成酶, 1
sucrose synthase, see sucrose synthetase
sucrose synthetase 蔗糖合成酶
 activity assay 活性分析, 8, 56, 63
 affinity chromatography purification 親和層析法純化, 11, 12, 43, 44, 54, 60
 amino acid composition 胺基酸組成, 15, 16, 36, 44
 ammonium sulfate fractionation 硫酸胺分劃, 9, 54, 57
 antiserum 抗血清, 17, 54
 arginine, 15, 16, 44
 biochemical properties 生化性質, 13-16
 cDNA bank cDNA 庫, 3, 5, 47

- sucrose synthetase 蔗糖合成酶 (續前頁)
- chromosomal DNA 染色體 DNA, 6, 47
- comparison of rice and maize SS, 5, 33-39, 46
- cross antigenicity 共同抗原性, 37
- cysteine, 9, 15, 16, 44
- dansylation, 15, 75
- DEAE-Sepharose CL-6B, 10, 11, 54, 57
- disc-PAGE 不連續膠體電泳, 11, 54, 58, 61
- DNA ligation DNA 連結, 6
- double diffusion 雙向擴散, 17, 19, 37, 46
- effect of pH on coating solution (ELISA), 27
- electrophoresis 電泳, 11-14
- ELISA 酵素免疫分析法, 19-22, 45, 54
- extinction coefficient 分子消光係數, 14, 54, 57
- future studies 展望, 47
- gel filtration 膠體過濾, 9, 54, 57
- gene cloning 基因羣植, 5
- gene manipulation 基因操作, 46
- homogeneous SS-6 均質酵素 SS-6, 11, 54
- homology 相似性, 36, 46
- hybridoma production 融合瘤生產, 25, 54, 98
- immunoblotting 免疫轉印, 31, 38, 39, 54
- ion exchange 離子交換法, 10, 54
- isoelectric point, pI 等電點, 14, 54
- isozymes in maize (SS-1 and SS-2) 玉米中之異構酶, 3
- kinetic studies 動力學研究, 7
- maize, in 玉米, 2, 3, 5
- molecular weight 分子量, 13, 54
- monoclonal antibodies 單株抗體, 25, 45
- mRNA in maize, 3, 5
- mRNA purification, 6
- mung bean 綠豆, 14
- NH₂-terminal NH₂ 端胺基酸, 14, 15, 44, 54
- non-specific proteolysis, 36, 37
- OD unit OD 活性單位, 8
- peptide mapping 胜肽圖譜, 36, 54
- periodic acid-Schiff's reagent staining 16, 44
- physiological function 生理功能, 1, 2
- preparative electrophoresis 製備式電泳, 11, 12, 43, 54, 58
- protamine sulfate 魚精蛋白硫酸鹽, 54, 57
- protein content 蛋白質含量, 2
- protoplast 原生質體, 6
- purification 純化法, 9-13, 54, 57-61
- purity 純度, 10, 11, 43
- quaternary structure 四級構造, 13, 14
- relative affinity of mAb against SS 單株抗體的相對親和度, 27-30, 54
- SDS-PAGE SDS-膠體電泳, 14, 54
- Sepharose CL-6B, 9, 54, 57-61
- silver staining 硝酸銀染色, 12, 43

- sucrose synthetase 蔗糖合成酶 (續前頁)
specific activity 比活性, 9, 10
SS-1, 10, 57
SS-2, 10, 57
SS-3, 10, 57
SS-4, 10, 57, 60
SS-5, 10, 11, 27-33, 38, 41, 43, 44, 58, 74
SS-6, 11, 36
stability 安定性, 8
stages of investigation 研究工作分期, 5
tryptophan, 15, 16, 44
superior protein or enzyme 超級蛋白質或酵素, 4
- T-cell, 101
T-flask T 培養瓶, 90
tailing 拖尾現象, 63
TCA precipitation TCA 沉澱法, 104
TCA, trichloroacetic acid 三氯乙酸, 71, 104
thymidine, 98
thymocytes 胸腺細胞, 100
thymus 胸腺, 101
time schedule, monoclonal Ab production 工作時間表 (單株抗體生產), 24
tracer experiment 同位素追蹤試驗, 2
tracking dye 追蹤染料, 61, 70, 80
trait, genetic 遺傳標誌形質, 5
transfer 傳接, 94
transposable genetic element, Ds 跳動基因, 3, 47
Triton, 91, 103
Trypan blue, 94, 95
trypsin, 70
tryptophan, 44
Tween-20, 20, 84, 86
tyrosine, 104
- UDP, 1, 56
UDP-glucuronic acid, 8, 56
UDPG, 1, 2, 8, 56
UDPG dehydrogenase UDPG 去氫酶, 8, 56, 63
UDPG-ADPG interconversion UDPG-ADPG 轉換途徑, 2
ultrafilter 超微濾膜, 91, 92
urea 尿素, 86
UTP, 2
- V8 protease, 70
void volume (V₀), 79
- waste collector 廢液收集槽, 91
water 純水, 92
wick 濾紙鹽橋, 80
- xylene, 78